

MALL

MALL TOOL COMPANY

REMINGTON

Division of Remington Arms Company, Inc.
Chicago, Illinois

CONTRACTOR AND INDUSTRIAL TOOLS

Effective January 2, 1957

PRICE LIST # 1

(All prices subject to change without notice)

FLEXIBLE SHAFT CONCRETE VIBRATORS

| No. | Gasoline Engine Vibrators | List Price Each |
|------------|---|-----------------|
| 7-GVW-14 | 5 HP Gasoline Engine Vibrator (7000 RPM 14 ft. Shaft) Consists of: 5HP Gasoline Engine with wheel barrow 14 ft. of flexible shafting in two 7 ft. sections with coupling Vibrator head - 2-3/8" x 20" long. | \$481.00 |
| 7-GVR-14 | Same as 7-GVW-14 except with round base mounting | 446.00 |
| 7-GVW-21 | 5 HP Gasoline Engine Vibrator (7000 RPM 21 ft. Shaft) Consists of: 5 HP Gasoline Engine with wheel barrow 21 ft. of flexible shafting in three 7 ft. sections with coupling. Vibrator head 2-3/8" x 20" long. | 533.00 |
| 7-GVR-21 | Same as 7-GVW-21 except with round base mounting. | 498.00 |
| 7-GVW-A21 | 5 HP Gasoline Engine Vibrator (7000 RPM 21 ft. Shaft) Consists of: 5HP Gasoline Engine with wheel barrow 21 ft. of flexible shafting in one 14 ft. and one 7 ft. section with coupling. Vibrator head 2-3/8" x 20" long. | 499.00 |
| 7-GVR-A21 | Same as 7A-GVW-21 except with round base mounting | 464.00 |
| 10-GVW-14 | 5 HP Gasoline Engine Vibrator (10000 RPM 14 ft. shaft) Consists of: 5 HP Gasoline Engine with wheel barrow. 14 ft. of flexible shafting in two 7 ft. sections with coupling. Vibrator head 2-3/8" x 12" long . | 483.00 |
| 10-GVR-14 | Same as 10-GVW-14 except with round base mounting | 448.00 |
| 10-GVW-A14 | 5 HP Gasoline Engine Vibrator (10000 RPM 14 ft. shaft) Consists of: 5 HP Gasoline Engine with wheel barrow 14 ft. of flexible shafting in one 14 ft. section Vibrator head 2-3/8" x 12" long. | 449.00 |

CONTRACTOR AND INDUSTRIAL TOOLS (continued)

| | | |
|------------|--|--------|
| 10-GVR-A14 | Same as 10-GVW-A14 except with round base mounting | 414.00 |
| 10-GVW-21 | 5HP Gasoline Engine Vibrator (10000 RPM 21 ft. shaft) Consists of: 5HP Gasoline Engine with wheel barrow. 21 ft. flexible shafting in three 7 ft. sections with couplings. Vibrator Head 2-3/8" x 12" long. | 535.00 |
| 10-GVR-21 | Same as 10-GVW-21 except with round base mounting. | 500.00 |
| 10-GVW-A21 | 5 HP Gasoline Engine Vibrator (10000 RPM 21 ft. shafting) Consists of: 5HP Gasoline Engine with wheel barrow. 21 ft. Flexible shafting in one 14 ft. and one 7 ft. section with coupling. Vibrator Head 2-3/8" x 12" long. | 501.00 |
| 10-GVR-A21 | Same as 10-GVW-A21 except with round base mounting. | 466.00 |
| 10-GVW-28 | 5 HP Gasoline Engine Vibrator (10000 RPM 28 ft. shafting) Consists of: 5HP Gasoline Engine with wheel barrow. 28 ft. flexible shafting in two 14 ft. sections with coupling. Vibrator Head 2-3/8" x 12" long. | 517.00 |
| 10-GVR-28 | Same as 10-GVW-28 except with round base mounting. | 482.00 |
| 32-GVR-12 | 2 HP Gasoline EngineVibrator (3200 RPM 12 ft. shafting) Consists of: 2 HP Gasoline Engine with round base. 12 ft. flexible shafting in one 12 ft. section. Vibrator head 2-1/8" x 14" long. | 215.00 |
| 32-GVR-19 | 2 HP Gasoline Engine Vibrator (3200 RPM 19 ft. shafting) Consists of: 2HP Gasoline Engine on round base. 19 ft. flexible shafting in one 12 ft. and one 7 ft. section and coupling) Vibrator head 2-1/8" x 14" long. | 266.00 |

ELECTRIC MOTOR VIBRATORS

| | | |
|----------|---|--------|
| 4-EVR-14 | 3 HP Electric Motor Vibrator (10000 RPM 14 ft. shafting) Consists of: 3HP Electric Motor, geared drive, on round base. 14 ft. flexible shafting consisting of one 14 ft. section Vibrator head 2-3/8" x 12" long. | 412.00 |
|----------|---|--------|

ELECTRIC MOTOR VIBRATORS (continued)

| | | |
|----------|--|--------|
| 4-EVR-21 | 3 HP Electric Motor Vibrator (10000RPM 21 ft. shafting) Consists of: 3HP Electric Motor, geared drive, on round base. 21 ft. flexible shafting in one 14 ft. and one 7 ft. section and coupling. Vibrator head 2-3/8" x 12" long. | 464.00 |
| 3-EVR-14 | 2 HP Universal Electric Motor Vibrator(10000 RPM 14 ft. shafting) Consists of: 2HP Universal Electric Motor on round base. 14 ft. flexible shafting consisting of one 14 ft. section. Vibrator Head 2-3/8" x 12" long. | 312.00 |
| 3-EV-14 | Same as 3EVR-14 except less round base. | 307.00 |
| 3-EVR-21 | 2 HP Universal Electric Motor Vibrator (10000 RPM 21 ft. shafting Consists of: 2HP Universal Electric Motor on round base. 21 ft. flexible shafting in one 14 ft. and one 7 ft. section and coupling. Vibrator Head 2-3/8" x 12" long. | 364.00 |
| 3-EV-21 | Same as 3-EVR-21 except less round base. | 359.00 |
| 2-EV-2 | 1-1/2 HP Universal Electric Motor Vibrator (10000 RPM 2 ft. shafting) Consists of: 1-1/2 HP Universal Electric Motor 2 ft. Flexible shafting Vibrator head 1-7/8" x 12" long. | 190.00 |
| 2-EV-7 | Same as 2-EV-2 except with 7 ft. flexible shafting | 211.00 |
| 2-EV-14 | Same as 2-EV-2 except with 14 ft. flexible shafting | 229.00 |
| 1-EV-2 | 1 HP Universal Electric Motor Vibrator (10000 RPM 2 ft shafting) 1 HP Universal Electric Motor 2 ft. Flexible Shafting Vibrator Head 1-1/4" x 12" long. | 160.00 |
| 1-EV-7 | Same as 1-EV-2 except with 7 ft. flexible shafting. | 181.00 |
| 2A-EV-14 | 1-1/2 HP Universal Electric Motor Vibrator 10000 RPM 14 ft. shafting Consists of: 1-1/2 HP Universal Electric Motor 14 ft. flexible shafting in one section. Vibrator head 1-1/4" x 12" long | 229.00 |

ELECTRIC MOTOR VIBRATORS (continued)

| | | |
|---------|---|--------|
| EV-257 | One Man Motor-in-head Vibrators 10000RPM 7 ft. unit | 290.00 |
| EV-2514 | One Man Motor-in-head Vibrators 10000 RPM 14 ft. unit | 305.00 |

AIR POWER VIBRATORS

| | | |
|---------|---|--------|
| 2-PV-2 | Pneumatic Motor Vibrator (10000 RPM 2 ft. flexible shafting) Consists of: Air Power Motor 10000 RPM 2 ft. flexible shafting Vibrator head 1-7/8" x 12" long. | 190.00 |
| 2-PV-7 | Same as 2-PV-2 except with 7 ft. flexible shafting. | 211.00 |
| 2-PV-14 | Same as 2-PV-2 except with 14 ft. flexible shafting | 229.00 |
| 6-PV-7 | Pneumatic Motor Vibrator 10000 RPM 7 ft. shafting Consists of: High Power Pneumatic Motor, 10000 RPM Direct Drive Transmission 7 ft. flexible shafting in one section Vibrator head 2-3/8" x 12" long. | 439.00 |
| 6-PV-14 | Same as 6-PV-7 except with 14 ft. flexible shafting. | 457.00 |
| 45860 | Sump Pump attachment for 6 PV. | 90.00 |

CONCRETE GRINDING AND RUBBING UNITS

| | | |
|---------|---|--------|
| 14GR-7 | 5 HP Gasoline Engine Concrete Rubbing Unit Consists of: 5HP 4 cycle Gasoline Engine on round base. 7 ft. flexible shafting. Tenth speed angle spindle for wet grinding. 3 gallon water tank and hose. 6" x 2" cup shaped grinding wheel. | 415.75 |
| 14GW-7 | Same as 14GR-7 except on wheel barrow mounting | 450.75 |
| 14GR-14 | Same as 14GR-7 except extra 7 ft. shafting and coupling | 467.75 |
| 14GW-14 | Same as 14GR-14 except on wheel barrow mounting | 502.75 |
| 8-GR-12 | 2 HP Gasoline Engine Concrete Rubbing Unit Consists of: 2 HP Gasoline Engine with round base mounting. 12 ft. flexible shafting in one section Tenth speed angle spindle for wet grinding. 6" x 2" cup shaped grinding wheel Pressure water tank and hose | 254.75 |

CONCRETE GRINDING AND RUBBING UNITS (continued)

| | | |
|----------|--|--------|
| 53533 | Sump Pump attachment for 8GR-12 | 45.00 |
| 7000-R-7 | 3/4 HP Electric Motor Concrete Rubbing Unit | 322.75 |
| | Consists of: | |
| | 3/4 HP 3450 RPM Motor with round base mounting | |
| | 7 flexible shafting in one section | |
| | Quarter speed angle spindle for wet grinding. | |
| | Pressure water tank and hose. | |
| | 6" x 2" cup shaped grinding wheel. | |

| | | |
|-----------|---|--------|
| 7000-R-14 | Same as 7000-R-7 except with 14 ft. shafting in two 7 ft. sections. | 373.75 |
|-----------|---|--------|

POWER TROWELS

| | | |
|--------|--|--------|
| TG-26 | 4 cycle Gasoline Engine with 26" diameter trowel. | 340.00 |
| TG-36 | 4 cycle Gasoline engine with 36" diameter trowel. | 375.00 |
| 51900 | 23" diameter floating disc (fits TG-26 or TG-36) | 36.00 |
| 52455 | 23" diameter Grinding-grouting head (less stones) | 76.00 |
| 52337A | Replacement stones, set of three (3 sets required) per set | 1.25 |

FINISHING BLADES

| | | |
|--------|---|-------|
| 52621A | 26" Combination finishing and floating blade (set of 3) | 12.50 |
| 51205A | 36" Finishing Blade (set of 3) | 12.50 |

FLOATING SHOES

| | | |
|--------|-------------------------------|-------|
| 51756A | 36" Floating Shoe (set of 3) | 17.50 |
|--------|-------------------------------|-------|

TROWEL RINGS

| | | |
|-------|--------------------------|-------|
| 52627 | 26" Diameter Trowel Ring | 15.00 |
| 51116 | 36" Diameter Trowel Ring | 17.50 |

BLADE ARMS

| | | |
|--------|-------------------------------------|-------|
| 52625A | Arms for 26" Ring (set of 3) | 21.50 |
| 50275A | Arms for 36" Ring (set of 3) | 22.50 |
| 53000 | Brick holder assembly (less stones) | 40.00 |

EARTH BORER

| | | |
|-----------|--|--------|
| 14GEBW-21 | 5 HP Gasoline Engine earth borer with 21 ft. shafting Consists of: 5HP 4 cycle gasoline engine with wheel barrow 21 ft. of flexible shafting in three 7 ft. sections with couplings. Earth boring head 1-13/16" x 23-3/4" long. | 575.00 |
|-----------|--|--------|

ADDITIONAL SHAFTING IN 7 ft. LENGTHS

| | | |
|--------|-----------------------|-------|
| 35814 | 7 ft. flexible shaft | 14.00 |
| 21070C | 7 ft. housing | 40.00 |
| 35820 | Ball Bearing Coupling | 8.00 |

TUCK POINTING SAW

| | | |
|---------|--|--------|
| 7000-RT | 3/4 HP Electric Motor Tuck Pointing Saw Consists of: 3/4 HP 3450 volt electric motor on round base. 12 ft. flexible shafting in one section Straight spindle and wheel guard assembly 3/16" x 8" edge type grinding wheel | 299.00 |
| 6558 | 1/4" x 8" edge type grinding wheel for 7000-RT | 4.25 |

FLEXIBLE SHAFTS, VIBRATOR HEADS AND ACCESSORIES FOR CURRENT MODELS OF MALL CONCRETE VIBRATORS

$\frac{1}{2}$ " dia. Flexible Shafts for all Mall vibrators excepting Model No. 32-GVR

| No. | Length | Fits Head No. | Price |
|---------|--------|-----------------------|---------|
| 35814-B | 2 ft. | V12, V17, V23 and V32 | \$ 8.00 |
| 35814 | 7 ft. | V12, V17, V23 and V32 | 14.00 |
| 35814-A | 14 ft. | V12, V17, V23 and V32 | 20.00 |

Flexible Shaft Housings for all Mall Vibrators excepting Model No. 32-GVR

| | | | |
|---------|--------|---------------------------------------|---------|
| 21070-B | 2 ft. | V17, V23 and V32 | \$15.00 |
| 21070 | 7 ft. | V17, V23 and V32 | 30.00 |
| 21070-A | 14 ft. | V17, V23 and V32 | 42.00 |
| 36410-B | 2 ft. | V12 only ($1\frac{1}{4}$ " diameter) | 15.00 |
| 36410 | 7 ft. | V12 only ($1\frac{1}{4}$ " diameter) | 30.00 |
| 36410-A | 14 ft. | V12 only ($1\frac{1}{4}$ " diameter) | 42.00 |
| 19540-P | 7 ft. | 19910-A (2-3/8" x 20") | 35.00 |
| 19170-P | 17 ft. | 19510-A (1-7/8" x 20") | 30.00 |

Flexible Shafts for Model No. 32-GVR 2 HP Gasoline engine Vibrator

| | | | |
|---------|--------|---------------------|---------|
| 32952-A | 7 ft. | 11690-E and 18700-E | \$14.00 |
| 32952-B | 12 ft. | 11690-E and 18700-E | 18.00 |

Flexible Shaft Housings for Model No. 32-GVR Vibrator

| | | | |
|---------|--------|---|---------|
| 11711 | 12 ft. | 11690-E only (2-1/8" x 14") | \$32.00 |
| 18700-B | 12 ft. | 18700-E only (1-7/8" x 20") | 32.00 |
| 7320-A | 7 ft. | Engine end only (use only as extension) | 27.00 |

Ball Bearing Couplings for coupling Shafts together on all Mall
Vibrators except No. 32-GVR.

No. 35820 \$ 8.00

Ball Bearing Coupling for coupling shafts together on Model No. 32-GVR Vibrator

No. 17330-B \$10.00

Sump Pump attachment for Model No. 32-GVR 2 HP Gasoline engine Vibrator

No. 53533 with 12 ft. discharge hose \$45.00

Sump Pump Attachment for Model 7 GV and 10-GV Series Vibrators

No. 45860 (FP-2) \$90.00

FLEXIBLE SHAFTS, VIBRATOR HEADS AND ACCESSORIES FOR CURRENT MODELS OF MALL CONCRETE VIBRATORS (continued)

VIBRATOR HEADS

Steel tipped Vibrator Heads

| | | |
|---------|--|---------|
| V12 | 1 $\frac{1}{4}$ " x 12" | \$60.00 |
| V17 | 1-7/8" x 12" | 60.00 |
| V23 | 2-3/8" x 12" | 60.00 |
| V32 | 3 $\frac{1}{4}$ " x 12" | 65.00 |
| 19910-A | 2-3/8" x 20" | 60.00 |
| 19510-A | 1-7/8" x 20" | 60.00 |
| 11690-E | 2-1/8" x 14" for Model No. 32-GVR Vibrator | 60.00 |
| 18700-E | 1-7/8" x 20" for Model No. 32-GVR Vibrator | 60.00 |

Rubber Tipped Vibrator Heads

| | | |
|------|-------------------|---------|
| V17R | 1-7/8" x 12" Head | \$60.00 |
| V23R | 2-3/8" x 12" Head | 60.00 |
| V32R | 3-1/4" x 12" Head | 65.00 |

Replacement screw-on Rubber Tips

| | |
|----------------------------------|---------|
| 22968 for V17R Head 1-7/8" x 12" | \$ 3.50 |
| 23506 for V23R Head 2-3/8" x 12" | 3.50 |
| 35243 for V32R Head 3-1/4" x 12" | 3.50 |

Replacement Steel Tips (Interchangeable with the rubber tips above)

| | |
|----------------------------------|---------|
| 20302 for V17R 1-7/8" x 12" Head | \$ 3.50 |
| 20303 for V23R 2-3/8" x 12" Head | 3.50 |
| 20304 for V32R 3-1/4" x 12" Head | 3.50 |

Dry type angle spindles (Four Spline Drive)

| | |
|----------------------|---------|
| 30811B Full speed | \$40.00 |
| 30812B Half speed | 40.00 |
| 30813B Third speed | 40.00 |
| 30814B Quarter speed | 40.00 |

Wet Type Angle Spindles (Four Spline Drive)

| | |
|----------------------|---------|
| 31151B Full speed | \$50.00 |
| 31152B Half speed | 50.00 |
| 31153B Third speed | 50.00 |
| 31154B Quarter speed | 50.00 |

Straight Spindles (Four Spline Drive)

| | |
|---|---------|
| 6310B Straight Spindle | \$20.00 |
| 2403B Collet Spindle including $\frac{1}{4}$ " collet | 23.00 |
| 15276 1/8" Collet for 2403B collet spindle | 3.00 |
| 15277 3/16" Collet for 2403B collet spindle | 3.00 |

GENERATORS

| | | |
|------|---|----------|
| 3WAS | Heavy duty 3000 watt AC Generator with 4 cycle 1 cylinder Gasoline Engine on skid mounting. | \$525.00 |
| 3WAW | Same as 3WAS except with pneumatic wheel mounting. | 575.00 |
| 1WD | 1500 watt DC Generator with 4 cycle gasoline engine. | 362.50 |

TERRAZZO GRINDERS

| | | |
|-----|---|--------|
| 6EG | 1-1/2 HP Terrazzo Grinder unit | 350.10 |
| | Consists of: | |
| | 1-1/2 HP dust and vaporproof motor. | |
| | 110/220 volt, 60 cycle, single phase, AC 3450 RPM mounted on low swiveling base and with carrying handle. | |
| | 7 ft. flexible shaft and housing. | |
| | Cove base, straight spindle, full speed wet type. | |
| | 3" x 4" (36 medium) cove base wheel. | |
| | 3 gal. gravity water tank with 25 ft. hose. | |

REPLACEMENT AND ADDITIONAL EQUIPMENT FOR 6EG GRINDER

| | | |
|---------|---|--------|
| 9911C | Full speed wet angle spindle. | 70.00 |
| 23500 | Dry type straight spindle. | 30.00 |
| C2870D | Dry type cove base straight spindle. | 35.00 |
| C2870W | Wet type cove base straight spindle. | 40.00 |
| 20202H | Stair grooving attachment with straight spindle. | 70.00 |
| 31161C | Full speed dry type angle spindle | 45.00 |
| 12189 | Voltage change-over switch 110/220 volts. | 7.50 |
| 9300-CO | 1-1/2 HP dust and vaporproof 110/220 volt AC motor with voltage change-over switch. | 227.50 |
| 9300 | Same motor as 9300-CO but less change-over switch. | 220.00 |
| 9332 | Low swiveling motor base with carrying handle | 25.00 |
| 32957A | 5/8" x 7 ft. Flexible Shaft | 23.00 |
| 4790A | 7 ft. Flexible Shaft housing | 40.00 |

| | | |
|-----|---|--------|
| 3EG | 3/4 HP Terrazzo Grinder Unit Complete | 322.25 |
| | Consists of: | |
| | 3/4 HP dust and vaporproof motor 110/220 volt, 60 cycle, single phase 3450 RPM AC mounted on low swiveling base and with carrying handle. | |
| | 7 ft. flexible shaft and housing. | |
| | Full speed wet angle spindle. | |
| | 6" x 2" cup shaped grinding wheel. | |
| | 3 gal. gravity water tank with 25 ft. hose. | |

REPLACEMENT AND ADDITIONAL ATTACHMENTS FOR 3EG GRINDER

| | | |
|--------|--------------------------------------|-------|
| 31151B | Full speed wet angle spindle | 50.00 |
| 38840 | Dry type straight spindle | 28.00 |
| B3430D | Dry type straight cove base spindle. | 30.00 |

REPLACEMENT AND ADDITIONAL ATTACHMENTS FOR 3EG GRINDER
(continued)

| | | |
|---------|--|----------|
| B3430W | Wet type straight cove base spindle. | \$ 35.00 |
| 20202 | Stair grooving attachment with straight spindle | 55.00 |
| 12189 | Voltage change over switch 110/220 volts. | 7.50 |
| 7000-CO | 3/4 HP dust and vaporproof 110/220 volt AC single phase motor with voltage change over switch. | 197.50 |
| 7000 | Same motor as 7000-CO but less change over switch. | 190.00 |
| 3927 | Low swiveling motor base and carrying handle | 30.00 |
| 32953-A | 1/2" x 7 ft. flexible shaft. | 15.00 |
| 3856A | 7 ft. flexible shaft housing. | 29.00 |

ACCESSORIES FOR USE WITH EITHER 6EG or 3EG GRINDERS

| | | |
|------|---|-------|
| 2668 | 3 gal. gravity water tank with 25 ft. hose. | 7.50 |
| 7550 | 2 gal. pressure water tank with 25 ft. hose . | 20.00 |

FLEXIBLE SHAFT MACHINES

| | | |
|-------|---|--------|
| 1EGP | 3/4 HP Direct Drive Pedestal Mounting | 240.00 |
| 1EGH | 3/4 HP Direct Drive Suspension Mounting | 205.00 |
| 1EGU | 3/4 HP Direct Drive Underslung Mounting | 215.00 |
| 2EGP | 3/4 HP 4 Speed Pedestal Mounting | 255.00 |
| 2EGH | 3/4 HP 4 Speed Suspension Mounting | 230.00 |
| 2EGR | 3/4 HP 4 Speed Round Base for Bench Use. | 230.00 |
| 5FGP | 1-1/2 HP Direct Drive Pedestal Mounting | 268.00 |
| 5 FGH | 1-1/2 HP Direct Drive Suspension Mounting | 233.00 |
| 5FGU | 1-1/2 HP Direct Drive Underslung Mounting | 243.00 |
| 7FGP | 3 HP Direct Drive Pedestal Mounting | 296.00 |
| 7FGH | 3 HP Direct Drive Suspension Mounting | 267.00 |
| 7FGU | 3 HP Direct Drive Underslung Mounting | 287.00 |
| 8FGP | 3 HP Gear Drive Pedestal Mounting | 372.00 |
| 8FGH | 3 HP Gear Drive Suspension Mounting | 327.00 |

ACCESSORIES FOR 1EG & 2EG SERIES 4 SPLINE DRIVE UNITS

Flexible Shafts & Housings and Spindles

| | | |
|--------|---|----------|
| 32952 | 7/16" dia. x 6 ft. Flexible Shaft | \$ 12.00 |
| 7320 | 6 ft. Flexible Shaft Housing | 24.00 |
| 6310B | Standard Straight Grinding Spindle | 20.00 |
| 38840 | Heavy Duty Straight Grinding Spindle | 28.00 |
| 2403B | Straight Collet Spindle Including 1/4" collet | 23.00 |
| 30811B | Full Speed Angle Spindle | 40.00 |
| 30812B | Half Speed Angle Spindle | 40.00 |
| 30813B | Third Speed Angle Spindle | 40.00 |
| 30814B | Quarter Speed Angle Spindle | 40.00 |
| 31151B | Full Speed "Wet" Angle Spindle | 50.00 |
| 31152B | Half Speed "Wet" Angle Spindle | 50.00 |
| 31153B | Third Speed "Wet" Angle Spindle | 50.00 |
| 31154B | Quarter Speed "Wet" Angle Spindle | 50.00 |
| 22610B | Tenth Speed "Wet" Angle Spindle | 60.00 |

GRINDING WHEEL GUARDS

| | | |
|-------|---|-------|
| 21697 | Grinding Wheel Guard for 38840 Spindle 6" Wheel | 9.85 |
| 21698 | Grinding Wheel Guard for 6310B Spindle 6" Wheel | 9.75 |
| 11583 | Grinding Wheel Guard for 38840 Spindle 8" Wheel | 10.00 |

ACCESSORIES FOR 5FG, 7FG & 8FG SERIES 6 SPLINE DRIVE UNITS

Flexible Shaft and Housing

| | | |
|-------|----------------------------------|-------|
| 32956 | 1/2" dia. x 6 ft. Flexible Shaft | 14.00 |
| 4860 | 6 ft. Flexible Shaft Housing | 26.00 |

SPINDLES

| | | |
|---------|---|-------|
| 23500 | Heavy Duty Straight Spindle | 30.00 |
| 14940-C | Heavy Duty Straight Spindle (Sealed Bearings) | 30.00 |
| 31161C | Full Speed Angle Spindle | 45.00 |
| 31162C | Half Speed Angle Spindle | 45.00 |
| 31163C | Third Speed Angle Spindle | 45.00 |
| 31164C | Quarter Speed Angle Spindle | 45.00 |
| 9411C | Full Speed Angle Spindle (Sealed Bearings) | 60.00 |
| 31171C | Full Speed "Wet" Angle Spindle | 55.00 |
| 31172C | Half Speed "Wet" Angle Spindle | 55.00 |
| 31173C | Third Speed "Wet" Angle Spindle | 55.00 |
| 31174C | Quarter Speed "Wet" Angle Spindle | 55.00 |

MOTORS AND MOUNTINGS FOR FLEXIBLE SHAFT UNITS

Motors

| | | |
|--------|--|--------|
| 34560 | 3/4" HP 110/220 Volt 1 Phase, 60 cycle, AC for 1EG Grinder | 175.00 |
| 16160C | 3/4 HP 110/220 Volt 1 Phase, 60 cycle, AC for 2EG Grinder | 195.00 |
| 9000 | 1-1/2 HP 220/440 Volt, Dust & Vaporproof for 5FG Grinder | 195.00 |
| 9400 | 3 HP 220/440 Volt, Dust & Vaporproof for 7FG Grinder | 230.00 |
| 9400A | 3 HP 220/440 Volt Gear Drive Dust and Vaporproof for 8FG Grinder | 290.00 |
| 34559 | Dust Filter for 34560 Motor | 3.50 |

ROLLING PEDESTAL MOUNTING

| <u>NUMBER</u> | <u>FOR MACHINE NUMBER</u> | <u>PRICE</u> |
|---------------|---------------------------|--------------|
| 29910 | 1E GP | 40.00 |
| 9470D | 2E GP | 30.00 |
| 2188 | 5F GP | 40.00 |
| 2407 | 7F GP | 34.00 |
| 3932A | 8F GP | 50.00 |

SUSPENSION MOUNTING

| <u>NUMBER</u> | <u>FOR MACHINE NUMBER</u> | <u>PRICE</u> |
|---------------|---------------------------|--------------|
| 3922 | 1E GH - 5 FGH | 5.00 |
| 3875 | 2E GH | 5.00 |
| 9327A | 7F GH-8F GH | 5.00 |

BENCH TYPE MOUNTING

| | | |
|-------|------|------|
| 17490 | 2EGR | 5.00 |
|-------|------|------|

UNDERSLUNG MOUNTING

| | | |
|-------|------|-------|
| 21238 | 1EGU | 15.00 |
| 3927 | 5FGU | 30.00 |
| 9332 | 7FGU | 25.00 |

GRINDING WHEEL GUARDS

| | | |
|-------|---|-------|
| 11584 | Grinding Wheel Guard for 23500 and 14940C Spindle 8" Wheel | 10.00 |
|-------|---|-------|

WHEEL ADAPTERS

| | | |
|-------|--|------|
| 18987 | 1/2" Arbor for Grinding Wheels for 14940C, 23500, 6310B Spindle | 2.50 |
| 9697 | 5/8" Arbor for above spindles | 4.00 |

ACCESSORIES TO FIT ALL MALL FLEXIBLE SHAFT SPINDLES

| | | |
|-------|---|-------|
| 6141B | 7" Rubber Backing Pad for Sanding 3/4" Hole | 6.00 |
| 1192B | 9" Rubber Backing Pad for Sanding 3/4" Hole | 10.00 |
| 32089 | 8" Wool Buffing Pad | 3.00 |
| 2473 | 9" Wool Buffing Pad | 3.50 |
| 2474 | 11" Wool Buffing Pad | 3.75 |
| 2018A | 1/2" Drill Chuck and Adapter. | 5.00 |
| 2668 | Gravity Flow Water Tank with 25 ft. Hose. | 7.50 |
| 7550 | Pressure Type Water Tank with 25 ft. Hose. | 20.00 |
| 8380 | Set of Eight Rotary Mill Cut, Medium Cut, Burrs, 1/4" Shank | 28.00 |

ABRASIVE DISCS, 7 inches

| | | |
|--------|----------------------------|-----|
| 18511 | 16 Grit (alum. oxide) | .60 |
| 18513 | 36 Grit (alum. oxide) | .46 |
| 18514 | 50 Grit (alum. oxide) | .43 |
| 18501 | 24 Grit (silicon carbide) | .22 |
| 18502 | 36 Grit (silicon carbide) | .20 |
| 18503 | 50 Grit (silicon carbide) | .18 |
| 18504 | 80 Grit (silicon carbide) | .16 |
| 18504A | 120 Grit (silicon carbide) | .15 |

ABRASIVE DISCS, 9 inches

| | | |
|--------|---------------------------|-----|
| 18517 | 24 Grit (alum. oxide) | .66 |
| 18518 | 36 Grit (alum. oxide) | .60 |
| 18519 | 50 Grit (alum. oxide) | .56 |
| 18520 | 60 Grit (alum. oxide) | .52 |
| 18505A | 16 Grit (silicon carbide) | .38 |
| 18505 | 24 Grit (silicon carbide) | .35 |
| 18507 | 50 Grit (silicon carbide) | .27 |
| 18508 | 80 Grit (silicon carbide) | .24 |

Abraso-Flex Depressed Center Wheels for Sanding

| | | |
|-------|---|------|
| 34466 | 7" diameter 1/8" thick 7/8" hole for steel, aluminum, bronze, etc | 4.75 |
| 34469 | 9" diameter 1/8" thick 7/8" hole for steel, aluminum, bronze, etc | 7.55 |

Adapters for U sing Above Wheels on Mall Tools

| | | |
|-------|--|------|
| 34427 | With .800" - 12 thread for use with Mall angle and straight spindles | 2.00 |
| 34428 | With 5/8" - 11 thread for use with Mall 47S, 57S and 59S sanders | 2.00 |

WIRE BRUSHING ATTACHMENTS, EDGE TYPE

| | | |
|-------|-------------------------------|------|
| 1941A | Wire Brush, 4½" x 1" 00 gage | 3.75 |
| 2019 | Wire Brush, 6" x 1½", 30 gage | 4.00 |
| 2019B | Wire Brush, 6" x 1½", 33 gage | 4.00 |
| 2019C | Wire Brush, 6" x 1½", 38 gage | 4.25 |

WIRE BRUSHES, CUP SHAPED

| | | |
|-------|------------------------|-------|
| 6024 | Wire Brush, 4" 25 gage | 4.50 |
| 3033 | Wire Brush, 6" 25 gage | 6.25 |
| 3033A | Wire Brush, 6" 20 gage | 5.95 |
| 3033B | Wire Brush, 6" 30 gage | 6.75 |
| 3033C | Wire Brush, 6" 36 gage | 6.75 |
| 8380 | Rotary Burr Kit | 28.00 |

SANDING DRUM

| | | |
|------|------------------------------|---------|
| 9819 | Sanding Drum 2-inch x 3 inch | \$ 3.50 |
|------|------------------------------|---------|

ABRASIVES FOR 9819 SANDING DRUM (alum. Oxide)

| | | |
|-------|------------------------------|------|
| 27186 | 24 Grit | .24 |
| 27187 | 36 Grit | .22 |
| 27188 | 50 Grit | .20 |
| 27189 | 80 Grit | .19 |
| 13510 | Sanding Drum 3 inch x 3 inch | 5.50 |

ABRASIVES FOR 13510 SANDING DRUM (Alum. Oxide)

| | | |
|-------|---------------------|------|
| 27165 | 16 Grit | .30 |
| 27166 | 24 Grit | .28 |
| 27167 | 36 Grit | .26 |
| 27168 | 50 Grit | .24 |
| 27169 | 80 Grit | .22 |
| 1840 | SANDING CONE 5-5/8" | 7.50 |

ABRASIVES FOR #1840 SANDING CONE

| | | |
|-------|---------|-----|
| 27156 | 24 Grit | .32 |
| 27157 | 36 Grit | .30 |
| 27158 | 50 Grit | .28 |
| 27159 | 80 Grit | .26 |

GRINDING WHEELS, 6 inch. CUP SHAPED (Silicon Carbide)

| | | |
|-------|-------------------------------|-------|
| 22970 | 8 Grit, coarse | 9.25 |
| 22971 | 8 Grit, coarse | 9.25 |
| 22972 | 16 Grit, coarse | 9.25 |
| 22973 | 16 Grit, coarse | 9.25 |
| 22974 | 24 Grit, coarse | 9.25 |
| 22975 | 24 Grit, coarse | 9.25 |
| 22976 | 36 Grit, medium | 9.25 |
| 22977 | 36 Grit, medium | 9.25 |
| 22984 | 220 Grit, fine | 12.70 |
| 22985 | 280 Grit, fine | 12.70 |
| 22995 | 16 Grit, coarse (Alum, Oxide) | 9.25 |

GRINDING WHEELS, CONE TYPE, $\frac{1}{2}$ -13 Thr. R.H.
(silicon carbide)

| | | |
|-------|-----------------------|------|
| 22940 | 8 Grit, coarse | 7.15 |
| 22942 | 24 Grit, coarse | 7.15 |
| 22943 | 36 Grit, medium | 7.15 |
| 22945 | 80 Grit, fine | 7.15 |
| 22946 | 120 Grit, fine | 7.15 |
| 22948 | 20 Grit, coarse | 7.15 |
| 22950 | 8 Grit, coarse, L.H. | 8.00 |
| 22951 | 16 Grit, coarse, L.H. | 8.00 |
| 22952 | 24 Grit, coarse, L.H. | 8.00 |
| 22953 | 36 Grit, medium, L.H. | 8.00 |
| 22954 | 54 Grit, medium, L.H. | 8.00 |
| 22955 | 80 Grit, fine, L.H. | 8.00 |
| 22956 | 120 Grit, fine, L.H. | 8.00 |
| 22957 | 20 Grit, coarse, L.H. | 8.00 |
| 22958 | 20 Grit, coarse, L.H. | 8.00 |

GRINDING WHEELS, COVE BASE, 3 ins. by 4 ins.

(silicon carbide)

| | | |
|-------|-----------------|------|
| 22921 | 36 Grit, medium | 7.60 |
| 22923 | 80 Grit, fine | 7.60 |
| 22924 | 120 Grit, fine | 7.60 |
| 22932 | 60 Grit, medium | 7.60 |
| 22933 | 80 Grit, fine | 7.60 |
| 22934 | 120 Grit, fine | 7.60 |
| 22938 | 220 Grit, fine | 7.60 |
| 22939 | 280 Grit, fine | 7.60 |

GRINDING WHEELS, COVE BASE, 6 ins. by 2½ ins.

| | | |
|-------|-----------------|-------|
| 22881 | 24 Grit, coarse | 11.50 |
| 22883 | 60 Grit, medium | 11.50 |
| 22884 | 80 Grit, fine | 11.50 |
| 22885 | 120 Grit, fine | 11.50 |
| 22891 | 24 Grit, coarse | 11.50 |
| 22892 | 36 Grit, medium | 11.50 |
| 22893 | 60 Grit, medium | 11.50 |
| 22894 | 80 Grit, fine | 11.50 |
| 22895 | 120 Grit, fine | 11.50 |

GRINDING WHEEL, STRAIGHT CUP, 6 ins. by 2 ins.

| | | |
|-------|-----------------|------|
| 22911 | 24 Grit, coarse | 9.25 |
| 22912 | 36 Grit, medium | 9.25 |
| 22914 | 80 Grit, fine | 9.25 |
| 22915 | 120 Grit, fine | 9.25 |

GRINDING WHEELS, STRAIGHT FACE, 4½ ins. 2 ins.

| | | |
|-------|-----------------|------|
| 4268B | 20 Grit, coarse | 5.60 |
| 4268C | 36 Grit, medium | 5.60 |
| 4268D | 80 Grit, fine | 5.60 |
| 4268E | 24 Grit, coarse | 5.60 |
| 4268F | 60 Grit, medium | 5.60 |
| 4268G | 120 Grit, fine | 5.60 |

GRINDING WHEELS, STRAIGHT FACE, 6 ins. by 1 in.

| | | |
|-------|-----------------|------|
| 2173B | 16 Grit, coarse | 8.00 |
| 2173C | 30 Grit, medium | 8.00 |
| 2173D | 16 Grit, coarse | 8.00 |
| 2173E | 30 Grit, medium | 8.00 |

NOTE: all wheels: .800" - 12 NS-2non std. thrd. will fit on plain
3/4" dia. arbors.

HEAVY DUTY ELECTRIC DRILLS

| | | |
|-------|--|--------|
| 145T | 2500 RPM Free Speed 1/4" Capacity | 52.00 |
| 145TS | 800 RPM Free Speed 1/4" Capacity | 52.00 |
| 144A | 1650 RPM Free Speed 1/4" Capacity | 51.00 |
| 144B | 3000 RPM Free Speed 1/4" Capacity | 51.00 |
| 381 | 800 RPM Free Speed 3/8" Capacity | 59.00 |
| 384 | 800 RPM Free Speed 3/8" Capacity | 68.00 |
| 380 | 800 RPM Free Speed 3/8" Capacity | 53.00 |
| 125 | 500 RPM Free Speed 1/2" Capacity | 73.00 |
| 586 | 300 RPM Free Speed 5/8" Capacity | 125.00 |
| 586A | 300 RPM Free Speed #2 Morse Taper | 125.00 |
| 346 | 250 RPM Free Speed 3/4" Capacity | 145.00 |
| 346A | 250 RPM Free Speed #2 Morse Taper | 145.00 |
| 786 | 200 RPM Free Speed #3 Morse Taper | 150.00 |
| 540 | 90 RPM Free Speed #3 Morse Taper | 220.00 |
| 540A | 150 RPM Free Speed #3 Morse Taper | 220.00 |
| 23690 | Slip Clutch for nut running #3 Morse Taper Shank | 60.00 |
| 23892 | 3/4" Capacity geared chuck & key with #3 Morse Taper Shank | 15.00 |

DRILL ATTACHMENTS & ACCESSORIES

| | | |
|--------|--|----------|
| | Drill Stands | |
| 28700 | For 125, 384 Drills | \$ 38.00 |
| 29680 | For 346, 586 and 786 Drills | 38.00 |
| 50034 | Conversion Kit to Convert 28700, and 29680 stands to accomodate smaller drills | 3.00 |
| | Mall Feed Grips | |
| 27792 | For Mall 786, 346 and 586 Drills | 19.95 |
| 27790 | For Mall 125 and 384 Drills | 19.95 |
| | Chuck Keys and Holders | |
| 15303A | For 145 Drills | .75 |
| 15653A | For 144 Drills | .75 |
| 26254A | For 381, 380 Drills | .95 |
| 15542 | For 384 and 125 Drills | 1.00 |
| 16676A | For 586 Drill | .80 |
| 16678A | For 346 Drill (Key only) | .80 |
| | Taper Chucks | |
| 31455 | For 586A and 346A Drills 1/2" Capacity | 11.00 |
| 12874 | For 586A, 346A and 786 Drills 5/8" Capacity | 12.00 |
| 17898 | For 586A, 346A and 786 Drills 3/4" Capacity | 11.20 |
| | Taper Arbor Assemblies with Chuck and Key | |
| 31450 | 5/8" Capacity with #2 Morse Taper for 586A, 346A Drills | 13.00 |
| 31451 | 3/4" Capacity with #2 Morse Taper for 346A Drills | 14.00 |

Jacobs - Morse Taper Arbor

| | | |
|-------|---|------|
| 31452 | No. 2 Morse Male - No. 3 Jacobs Male Taper for 586A, 346A | 1.00 |
| 31453 | No. 2 Morse Male - No. 6 Jacobs Male Taper for 586A, 346A | 1.50 |
| 31454 | No. 3 Morse Male - No. 3 Jacobs Male Taper for 786, | 1.50 |

Threaded Jacobs Chucks

| | | |
|-------|---|-------|
| 15303 | 1/4" Capacity - 3/8" 24 thd. for 145T Drills | 5.00 |
| 15653 | 1/4" Capacity - 3/8" 24 thd. for 144 Drills | 6.00 |
| 26254 | 3/8" Capacity - 3/8" 24 thd for 380, 381 Drills | 7.00 |
| 16172 | 3/8" Capacity 1/2" 20 thd. for 384 Drills | 6.00 |
| 15541 | 1/2" Capacity 1/2" 20 thd. for 125 Drills | 8.00 |
| 31458 | 5/8" Capacity 3/4" 16 thd. for 586 Drills | 8.95 |
| 2263P | 3/4" Capacity 3/4" 16 thd. for 346 Drills | 11.20 |

Special for 540 & 540 A Drills

| | | |
|-------|----------------------------------|-------|
| 23690 | Slip Clutch for Nut running | 60.00 |
| 23892 | 5/8" Capacity geared Chuck & Key | 15.00 |

ELECTRIC SCREW DRIVERS

| | | |
|-------|----------------|-------|
| 143S | Non-reversible | 80.00 |
| 143SR | Reversible | 90.00 |
| ES-10 | Reversible | 98.00 |

ELECTRIC IMPACT WRENCHES

| | | |
|-------|-------------------------------|--------|
| W-120 | Impact Wrench - 1/2" Capacity | 120.00 |
| W-780 | Impact Wrench - 7/8" Capacity | 295.00 |

ELECTRIC DISC SANDERS

| | | |
|-------|---|-------|
| 47S | 7" Disc, 4200 RPM Free Speed | 78.00 |
| 57S | 7" Disc, 4200 RPM Free Speed | 88.00 |
| 59S | 9" Disc, 4200 RPM Free Speed | 93.00 |
| 34428 | Adapter Kit for depressed center abrasive discs | 2.50 |

ELECTRIC POLISHERS

| | | |
|-----|------------------------------------|-------|
| 47P | 8" Wool Bonnet 1400 RPM Free Speed | 80.00 |
| 57P | 9" Wool Bonnet 1400 RPM Free Speed | 95.00 |

ELECTRIC PORTABLE GRINDERS

| | | |
|------|---------------------------------|--------|
| 44GR | 4" Grinder, 5560 RPM Free Speed | 93.00 |
| 45GR | 5" Grinder, 4430 RPM Free Speed | 96.00 |
| 46GR | 6" Grinder, 3730 RPM Free Speed | 110.00 |

HEAVY DUTY CIRCULAR SAWS

| | | |
|-----|-------------------------|--------|
| 86 | Electric - 8-1/2" Blade | 148.00 |
| 92 | Electric - 9 1/2" Blade | 160.00 |
| 192 | Electric - 9-1/2" Blade | 160.00 |
| 96 | Electric - 9-1/2" Blade | 170.00 |
| 106 | Electric - 10" Blade. | 195.00 |
| 128 | Electric - 12" Blade. | 235.00 |

PORTABLE ELECTRIC PLANE

| | | |
|-------|---------------------------|--------|
| 3P | Door and surfacing plane | 170.00 |
| 27848 | Replacement blades (pair) | 6.25 |

ELECTRIC ROUTER

| | | |
|--------|----------------------------------|-------|
| 52850 | 3/4 HP Router complete with base | 53.50 |
| 52810 | 3/4 HP Router Motor only | 42.00 |
| 38740A | Router Base only | 11.50 |

PLANE ATTACHMENT

| | | |
|-------|-----------------------------------|-------|
| 39030 | Plane - attaches on router motor. | 25.00 |
|-------|-----------------------------------|-------|

GUIDE EXTENSION RODS (pairs)

| | | |
|--------|---------|------|
| 38737A | 8" Rod | .60 |
| 38737B | 16" Rod | .60 |
| 38737C | 24" Rod | 1.00 |
| 38737D | 36" Rod | 1.50 |

ROUTER BITS

| | |
|--------|------|
| 39830 | .75 |
| 39830B | .75 |
| 39830D | 1.00 |
| 39830F | 1.25 |
| 39830H | 1.05 |

COVE BITS

| | |
|----------------------|------|
| 39838A | 3.50 |
| Rounding Over Cutter | |
| 39834 | 2.50 |

BEADING BITS

| | |
|--------|------|
| 39837A | 3.25 |
| 39837B | 3.50 |

PLANE ATTACHMENTS CENTER GUIDES

| | |
|-------|------|
| 53236 | 4.50 |
| 53237 | 4.50 |
| 53238 | 4.50 |
| 53239 | 4.50 |
| 53240 | 4.50 |
| 53241 | 4.50 |
| 53242 | 4.50 |

ADAPTER

| | |
|--------|------|
| 39035A | 4.25 |
|--------|------|

WASHER

| | |
|-------|-----|
| 39027 | .75 |
|-------|-----|

GROOVE CUTTER

| | |
|-------|------|
| 39027 | 3.50 |
|-------|------|

ROUNDING OVER BITS

| | |
|--------|------|
| 39835A | 3.75 |
| 39835D | 3.75 |

CORE BOX BITS

| | |
|--------|------|
| 39832A | 1.50 |
| 39832C | 1.75 |
| 39832E | 1.75 |

VEINING BITS

| | |
|--------|------|
| 39831B | 1.50 |
|--------|------|

VEE GROOVING BIT

| | |
|-------|------|
| 39836 | 3.00 |
|-------|------|

STRAIGHT CUTTER

| | |
|--------|------|
| 39837D | 4.95 |
|--------|------|

Use 34837D

FLOOD LIGHTS

| | |
|-------|---------------------------|
| 50115 | Type MD4-14 500 watt lamp |
| 50116 | Type MDB-10 200 watt lamp |

MALL ATTACHABLE FLEXIBLE SHAFTS COMPLETE WITH BALL BEARING
STRAIGHT SPINDLE AND MOTOR COUPLING (FOR CUSTOMER'S OWN MOTOR)

| SHAFT NO. | MAXIMUM H.P. | DESCRIPTION | PRICE |
|--------------|-----------------|-------------------------------|--------|
| 18920 | 1/2 H.P. | 5 ft. Flexible Shaft Complete | 19.95 |
| 356 | 3/4 H.P. | 6 ft. Shaft Complete | 64.00 |
| 357 | 3/4 H.P. | 7 ft. Shaft Complete | 69.00 |
| 3512 | 3/4 H.P. | 12 ft. Shaft Complete | 78.00 |
| 46 | 1-1/2 H.P. | 6 ft. Shaft Complete | 68.00 |
| 47 | 1-1/2 H.P. | 7 ft. Shaft Complete | 72.00 |
| 46 H | 2 H.P. | 6 ft. Shaft Complete | 77.00 |
| 47 H | 2 H.P. | 7 ft. Shaft Complete | 81.00 |
| 56 | 3 H.P. | 6 ft. Shaft Complete | 95.00 |
| 57 | 3 H.P. | 7 ft. Shaft Complete | 100.00 |
| 510 | 3 H.P. | 10 ft. Shaft Complete | 116.00 |

FLEXIBLE SHAFTS, SPINDLES AND COUPLING REPLACEMENTS FOR
ABOVE

| PART NO. | PRICE |
|-------------|--|
| 18920-A | Spindle Assembly for # 18920 7.50 |
| 18920-B | Housing Assembly for #18920 14.00 |
| 9090 | Ball Bearing Motor Coupling-Specify Bore 10.00 |
| 9820 | Ball Bearing Motor Coupling-Specify Bore 10.00 |
| 32952 | 6 ft. Flexible Shaft only for #356 12.00 |
| 32952-A | 7 ft. Flexible Shaft only for #357 14.00 |
| 32952-B | 12 ft. Flexible Shaft only for #3512 19.00 |
| 7320 | 6 ft. Housing only for #356 24.00 |
| 7320-A | 7 ft. Housing only for #357 27.00 |
| 7320-B | 12 ft. Housing only for #3512 32.00 |
| 32953 | 6 ft. Flexible Shaft only for #46 14.00 |
| 32953-A | 7 ft. Flexible Shaft only for #47 15.00 |
| 3856 | 6 ft. Housing for #46 26.00 |
| 3856-A | 7 ft. Housing for #47 29.00 |
| 32956 | 6 ft. Flexible Shaft for #46-H 14.00 |
| 32956-D | 7 ft. Flexible Shaft for #47-H 15.00 |
| 4860 | 6 ft. Housing for 46-H 26.00 |
| 4860-A | 7 ft. Housing for 47-H 29.00 |
| 32957 | 6 ft. Flexible Shaft for #56 20.00 |
| 32957-A | 7 ft. Flexible Shaft for #57 23.00 |
| 32957-B | 10 ft. Flexible Shaft for #510 31.00 |
| 4790 | 6 ft. Housing for #56 38.00 |
| 4790-A | 7 ft. Housing for #57 40.00 |
| 4790-B | 10 ft. Housing for #510 48.00 |
| 6310-B | Spindle 20.00 |
| 23500 | Spindle 30.00 |
| 14940-C | Spindle 30.00 |

AIR POWER VIBRATOR (MOTOR IN HEAD)

